

Washington County

Contaminant	Number of wells tested	Minimum	Maximum	Average	Maximum Contaminant Level (MCL) * Secondary MCL	Units	Number of wells tested above MCL	Percentage of wells tested above MCL	Number of wells below MCL	Percentage of wells tested below MCL
	Not									
<u>1,2-Dibromomethane</u>	Tested	0	0	0	0.05	μg/L	0	Not Tested		
1,2-Dichloropropane	Not Tested	0	0	0	5	ua/I	0	Not Tested		
					_	μg/L				
Arsenic	55	0.5	5	2	10	μg/L	0	0.00%		
<u>Barium</u>	45 Not	50	50	50	2,000	μg/L	0	0.00%		
<u>Benzene</u>	Tested	0	0	0	5	μg/L	0	Not Tested		
Cadmium	40	0.5	0.5	0.5	5	μg/L	0	0.00%		
Chromium	40	5	5	5	100	μg/L	0	0.00%		
cis-1,2- Dichloroethene (c- DCE)	Not Tested	0	0	0	70	μg/L	0	Not Tested		
Copper	55	25	962	63	1,300*	μg/L	0	0.00%		
	Not					, 0.				
<u>Ethylbenzene</u>	Tested	0	0	0	700	μg/L	0	Not Tested		
<u>Fluoride</u>	118	100	1,510.00	364.20	4,000*	μg/L	0	0.00%		
<u>Iron</u>	54	25	8,690.00	900.20	300*	μg/L	29	53.70%		
	Not				No drinking					
<u>Isopropyl Ether</u>	Tested	0	0	0	water standard	μg/L				
<u>Lead</u>	55	2.5	31.3	3	15	μg/L	1	1.82%		
Magnesium	61	8,100	8,100.00	8,100.00	No drinking water standard	μg/L				
Manganese	55	15	190	35.4	50*	μg/L	11	20.00%		

	Number of wells				Maximum Contaminant Level (MCL) * Secondary		Number of wells tested above	Percentage of wells tested	Number of wells below	Percentage of wells tested
Contaminant	tested	Minimum	Maximum	Average	MCL	Units	MCL	above MCL	MCL	below MCL
Mercury	33	0.3	0.3	0.3	2	μg/L	0	0.00%		
					20* (recommended					
Methyl tertiary butyl	Not				taste and odor					
ether (MTBE)	Tested	0	0	0	threshold)	μg/L	0	Not Tested		
<u>Nitrate</u>	29	500	12,810.00	1,826.90	10,000	μg/L	0	0.00%		
<u>Nitrite</u>	31	50	50	50	1,000	μg/L	0	0.00%		
	C4	5 0	0.5	7.6264	6.5.0.5*	standard	0	0.000/	_	4.020/
<u>pH</u>	61	5.9	8.5	7.6361	6.5-8.5*	units	0	0.00%	3	4.92%
<u>Selenium</u>	40	2.5	2.5	2.5	50	μg/L	0	0.00%		
Silver	46	25	25	25	100*	μg/L	0	0.00%		
					No drinking					
Sodium	28	4,000	184,000.00	26,248.90	water standard	μg/L				
<u>Tetrachloroethylene</u>	Not	0	0	0	_	/1	0	Not Tooks d		
(PCE)	Tested Not	0	0	0	5	μg/L	0	Not Tested		
Toluene	Tested	0	0	0	1,000	μg/L	0	Not Tested		
trans-1,2-						F-07 -				
Dichloroethene (t-	Not									
DCE)	Tested	0	0	0	100	μg/L	0	Not Tested		
Trichloroethylene	Not									
(TCE)	Tested	0	0	0	5	μg/L	0	Not Tested		
	Not									
<u>Vinyl chloride</u>	Tested	0	0	0	2	μg/L	0	Not Tested		
	Not									
<u>Xylenes (Total)</u>	Tested	0	0	0	10,000	μg/L	0	Not Tested		
<u>Zinc</u>	54	25	680	70.1	5,000*	μg/L	0	0.00%		

^{*} Secondary MCL: Secondary contaminants may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water. The Secondary Maximum Contaminant Level (SMCL) is a non-enforceable standard for secondary contaminants in drinking water. SMCLs may be based upon a contaminant's likelihood to cause changes to the taste, odor, or color of drinking water, or, may be based on the likelihood of the contaminant to cause technical changes such as damage to water fixtures or an increased availability of other contaminants in drinking water.

Tracking and Analyzing Contaminants (TrAC) in Private Well Water in NC UNC Superfund Research Program- Research Translation Core Funded by an ARRA supplement from NIEHS (P42-ES005948) 2009-2011

